

Catalogue 2022















CONTENTS





RIDE ONS & ZERO TURNS Micro Rider Mini Rider 382/30 Mini Rider 382/30 Hydro Raider 439/38 Rancher 547/38 Autodrive Rancher 547/42 Lawn King 18/42 Lawn King 21/42 Specifications - Ride Ons RZ 42 RZ 46 RZT S 46 Specifications - Zero Turns	6 6 7 7 8 8 9 9 10-13 14 14 15
LAWN MOWERS Duracut 410 Duracut 420 Duracut 820 Duracut 855MS Duracut 900 Duracut 955SP Hi Wheeler Utility Mower Specifications - Lawn Mowers	20 20 21 21 22 22 23 24-25
HANDHELD EQUIPMENT Line Trimmer Attachments R2600 Curved Shaft Line Trimmer RS2650 Straight Shaft Line Trimmer RS3100 Straight Shaft Line Trimmer R2BV Blower Vac	28 29 29 29 29
SEASONAL EQUIPMENT 8 Ton Log Splitter 33 Ton Log Splitter Super Bronco CRT Tiller 5cm (2") Chipper Shredder 4cm (1.5") Chipper Shredder Vac	30 30 31 32 33
PARTS Quick Reference Guide	34-35

RIDE ONS & ZERO TURNS









From ride on mowers through to zero turns, Rover has a feature packed rider to suit your needs.

Our Rover ride ons fitted with a Rover or Kawasaki engine come with a 5 year engine plus 5 year unit domestic use warranty* so you can enjoy your Rover for years to come.



*See back page for more information on engine and unit warranties.





With a range of engines, decks and transmissions, there is a Rover ride on to suit any application.



ROVER **ENGINES**

Rover engines feature a 5 year domestic use warranty for added peace of mind.




CHOICE OF TRANSMISSIONS

Choose from easy to use 6 speed (shown) or hydrostatic transmissions for greater manoeuvrability and smoother driving when mowing.



COMPACT STYLING

Ideal for smaller storage areas and allows the rider to manoeuvre between narrow gates.



TELESCOPIC STEERING

Allows the operator to adjust the steering height for a more comfortable ride.



OPTIONAL

MULCH KIT

Helps maintain

the grass for a

moisture by putting

DECK WASH

Helps maintain cutting deck in optimum condition by clearing away debris

















MINI RIDER





· Optional mulch kit and catcher available, sold separately







MINI RIDER 382/30 HYDRO

· Provides smoother driving with a

• Features a standard front bumper

and larger 30" deck

compact storage areas

sold separately

Compact rider with a more powerful engine

foot-operated hydrostatic transmission

· Fits through narrow gates and is ideal for

• Optional mulch kit and catcher available,






RAIDER 439/38










 Optional mulch kit, front bumper and catcher available, sold separately
















· Incredibly compact ride on mower

• Optional mulch kit available, sold separately













1/4 - 1 Acre























Our Rover ride ons that feature larger decks have time saving extras that make mowing easier and more comfortable.





CHOICE OF **ENGINES**

Choose from either Rover or Kawasaki engines featuring a 5 year domestic use warranty or a Kohler



RANGE OF TRANSMISSIONS

Available with CVT Autodrive for car-like mowing and either hand (shown) or foot-operated hydrostatic transmissions for better manoeuvrability and smoother driving when mowing.



ELECTRIC PTO

Easily engages and disengages the mowing deck saving time and



DECK WASH

Helps maintain cutting deck in optimum condition by clearing away debris



HIGH BACK SEAT #

Offers extra comfort. The Lawn King 21/42 also feature arm rests (shown) for the ultimate in comfort when mowing for extended



OPTIONAL MULCH KIT


moisture by putting






RANCHER 547/38 AUTODRIVE







· Ideal for mowing large areas quickly and efficiently



· Optional mulch kit, front bumper and catcher available, sold separately










RANCHER 547/42



Powerful engine and larger 42" deck



· Ideal for mowing large areas quickly and efficiently



· Optional mulch kit, front bumper and catcher available, sold separately







• Powerful engine and larger 42" deck ideal for

mowing large areas quickly and efficiently

· Electric PTO allows mowing deck to be easily

• Optional mulch kit, front bumper and catcher

KA HT PTO DW HB MK

• Smoother driving with a foot-operated



LAWN KING 18/42

hydrostatic transmission


engaged and disengaged

available, sold separately











deck ideal for mowing large areas quickly and efficiently Smoother driving with a foot-operated

LAWN KING

available, sold separately

- hydrostatic transmission and auto locking diff for increased traction control • Electric PTO allows mowing deck to be easily
- engaged and disengaged • Optional mulch kit, front bumper and catcher











2 - 3 Acres







PECIFICATIONS























RAIDER	
439/38	

MICRO RIDER		MINI RIDER 382/30	MINI RIDER 382/30 HYDRO	RAIDER 439/38		
Model number	13A426JC333	13A726JD333	13A721JD333	13AB76WF333		
Engine	196cc Rover OHV	382cc Rover OHV	382cc Rover OHV	439cc Rover OHV		
Transmission	6 speed, manual	6 speed, manual	Foot-operated hydrostatic, Hydro-Gear	6 speed, manual		
Deck	61cm (24") side discharge	76cm (30") side discharge	76cm (30") side discharge	97cm (38") side discharge		
Deck wash	No	Yes	Yes	No		
PTO	Manual	Manual	Manual	Manual		
Cruise control	No	No	No	No		
RMC (reverse)	No	Yes	Yes	Yes		
Fuel tank	1 litre	4.9 litres	4.9 litres	5.7 litres		
Front tyres	13.00 x 5.00	13.00 x 5.00	13.00 x 5.00	15.00 × 6.00		
Rear tyres	16.00 x 6.50	16.00 x 6.50	16.00 x 6.50	20.00 x 8.00		
Steering	Standard	Telescopic steering	Telescopic steering	Standard		
Seat	Low back	Low back	Low back	Low back		
Catcher	No	Optional	Optional	Optional		
Mulch kit	Optional	Optional	Optional	Optional		
Warranty - Unit	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial		
Warranty - Engine	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial			

RIDE ON ACCESSORIES



Mulch Kit -Mini Rider Fits Mini Rider 382/30 -6 Speed & Hydro Part No 19A30013OEM

Catcher -Mini Rider Double bagger fits Mini Rider 382/30 -6 Speed & Hydro Part No 19A300140EM



Catcher - 38" Decks Double bagger fits Raider 439/38 Part No OEM-190-180A

Front **Bumper** Fits Raider 439/38 Part No OEM-190-679



PECIFICATIONS

















LAWN	KING

S	RANCHER 547/38 AUTODRIVE	RANCHER 547/42	LAWN KING 18/42	LAWN KING 21/42		
Model number	13A878WF333	13A879WS333	13AGA1KS333	13AFA4KS333		
Engine	547cc Rover OHV	547cc Rover OHV	18HP Kawasaki V-Twin OHV	21.5HP Kawasaki V-Twin OHV		
Transmission	Foot-operated CVT, Auto Drive	Hand-operated hydrostatic, Hydro-Gear	Foot-operated hydrostatic, Tuff Torque	Foot-operated hydrostatic, Tuff Torque w/auto diff lock		
Deck	97cm (38") side discharge	107cm (42") side discharge	107cm (42") side discharge	107cm (42") side discharge		
Deck wash	No	Yes	Yes	Yes		
PTO	Manual	Manual	Electric	Electric		
Cruise control	No	No	Yes	Yes		
RMC (reverse)	Yes	Yes	Yes	Yes		
Fuel tank	5.7 litres	5.7 litres	11.4 litres	11.4 litres		
Front tyres	15.00 x 6.00	15.00 x 6.00	15.00 x 6.00	15.00 x 6.00		
Rear tyres	20.00 x 8.00	20.00 x 8.00	20.00 x 8.00	20.00 x 8.00		
Steering	Standard	Standard Standard		Standard		
Seat	Low back	Low back	High back	High back with arm rests		
Catcher	Optional	Optional	Optional	Optional		
Mulch kit	Optional	Optional	Optional	Optional		
Warranty - Unit	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial		
Warranty - Engine*	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial		

RIDE ON ACCESSORIES



Catcher - 38" Decks Double bagger fits Rancher 547/38 Part No OEM-190-180A



Catcher – 42" Decks Double bagger fits Rancher 547/42, Lawn King 18/42 & 21/42 Part No 19A300310EM







ZERO TURNS






For larger areas, the Rover zero turn range is hard to beat. With tough builds, dual transmissions and a choice of either lap bars or four-wheel steering with steering wheel control, Rover zero turns give added stability for an effortless cut.



CHOICE OF ENGINES

Choose from either Rover or Kawasaki engines featuring a 5 year domestic use warranty or Kohler engines.



DUAL TRANSMISSIONS

Work at the same time to give more power, stability and manoeuvrability for an easier cut.



RUGGED CONSTRUCTION

Heavy-duty, full length, fully-welded tubular steel frame is designed to absorb impact and provide maximum




USER FRIENDLY **CONTROL PANEL**

Have everything at your finger tips including the conveniently located electric PTO dash mounted button so you can quickly engage the cutting blades.



CHOICE OF LAP BARS OR STEERING WHEEL CONTROL

Choice of padded ergonomic lap bars ideal for flat areas or steering wheel control for unbeatable stability



OPTIONAL MULCH KIT

Helps maintain moisture by putting healthier lawn.









- 679cc engine and large 42" deck
- Ideal for extra large areas
- **Dual EZT Transmissions** work at the same time providing more power, stability and manoeuvrability for an easier cut
- · Optional mulch kit and catcher available, sold separately








RZ 46











- · Ideal for extra large areas
- Dual EZT Transmissions work at the same time providing more power, stability and manoeuvrability for an easier cut
- · Optional mulch kit and catcher available, sold separately





RZT S 46



- 22HP engine and extra large 46" deck is ideal
- · A steering wheel with true zero turn capability
- Dual EZT Transmissions work at the same time to give more power, stability and manoeuvrability for an easier cut
- High back seat with arm rests for the ultimate in
- Optional mulch kit and catcher available, sold separately









ZERO TURNS



SPECIFICATIONS













S	RZ 42	RZ 46	RZT S 46		
Model number	17AAFACS333	17AIFACN333	17BRCBDT333		
Engine	679cc Rover V-Twin OHV	21.5HP Kawasaki V-Twin OHV	22HP Kohler 7000 Series V-Twin OHV		
Transmission	Dual EZT 2200 Hydrostatic	Dual EZT 2200 Hydrostatic	Dual EZT 2200 Hydrostatic		
Deck	107cm (42") side discharge	117cm (46") side discharge	117cm (46") side discharge		
Deck wash	Yes	Yes	Yes		
РТО	Electric	Electric	Electric		
Steering	Padded, ergonomic, quick adjust lap bars	Padded, ergonomic, quick adjust lap bars	Steering wheel control		
Fuel tank	13.2 litres, centre mounted	13.2 litres, centre mounted	10.6 litres		
Front tyres	11.00 x 6.00	11.00 x 6.00	13.00 x 5.00		
Rear tyres	20.00 x 8.00	20.00 x 8.00	18.00 x 8.50		
Seat	High back	High back	High back with arm rests		
Catcher	Optional	Optional	Optional		
Mulch kit	Optional	Optional	Optional		
Warranty - Unit	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial		
Warranty - Engine	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	2 year domestic, 90 day commercial		

ZERO TURN ACCESSORIES



Catcher - 42" & 46"Deck Double bagger fits RZ 42 & RZ 46 Part No 19B700540EM





Catcher - 46" Deck Double bagger fits RZT S 46 Part No 19C70020OEM

Rover **Fuel Can** 5 litre capacity Part No 333-000-0002









Our Rover lawn mowers fitted with a Rover engine come with a 5 year engine plus 5 year unit domestic use warranty* so you can enjoy your Rover for years to come.



*See back page for more information on engine and unit warranties.





Featuring classic styling and proven 1.8mm, high arch steel decks with mulching options, the Rover Duracut range of lawn mowers are simply a cut above.



SAFE STOP An engine brake is fitted to stop the engine upon release of the handle for added safety and peace

of mind.



WASH Helps maintain your cutting deck in optimum condition by clearing away



LARGE

CATCHER

WITH FILL **INDICATOR** 45L catcher keeps emptying grass to fill indicator shows



BALL

BEARING WHEELS Reduces friction when pushing the lawn mower saving time and effort.



OPTION Helps maintain moisture by putting the grass for

MULCHING no



MySPEED MS
TECHNOLOGY

moisture by putting nutrients back into the grass for







Ideal for small areas with fine to medium



• Large 45L catcher with fill indicator

Variable throttle



• Ideal for small areas with fine to medium grass

DURACUT 420

· Large 45L catcher with fill indicator

· Features standard mulch plug

Variable throttle









· Large 45L catcher with fill indicator

· Features standard mulch plug

· Variable throttle

• Ideal for small areas with fine to medium



















- · Features standard mulch plug
- Variable throttle



















Under 1/4 Acre





The larger deck range of Rover lawn mowers feature classic styling and proven 1.8mm, high arch decks plus mulching options with more powerful engines making short work of bigger jobs.



SAFE STOP

An engine brake is fitted to stop the engine upon release of the handle for added safety and peace of mind.



MESH **CATCHER**

Extra large 65L mesh is super lightweight and keeps emptying grass to a



MULCHING MO OPTION

Helps maintain

the grass for

a healthier lawn

Propels the mower for effortless moisture by putting nutrients back into mowing saving you time and energy.

PROPELLED



4 SWING BLACK BLADES

For cleaner, more efficient cutting and catching giving you a



BACK REAR WHEELS

Give greater handling and stability on difficult terrain including hilly areas.





DURACUT 900





- Ideal for large areas with fine to hardy grass
- Larger 65L lightweight mesh catcher
- Features a standard mulch plug
- Variable throttle








DURACUT 955SP







- Ideal for large areas with fine to hardy grass
- Larger 65L lightweight mesh catcher
- · Features a standard mulch plug
- Variable throttle





HI WHEELER UTILITY MOWER



- Powerful 196cc Rover engine
- Ideal for large areas with fine to hardy grass
- High rear wheels for greater handling on difficult terrain
- Features side throw chute and standard mulch plug

SS MO HB



SPECIFICATIONS

































S	DURACUT 410	DURACUT 420	DURACUT 820	DURACUT 855MS	DURACUT 900	DURACUT 955SP	HI WHEELER UTILITY
Model number	11A-H2TY333	11A-H1TY333	11B-H1R9333	12ABH1R9333	11A-A1R6333	12A-B1R6333	11A-B0R6333
Engine/motor	140cc Rover OHV 480	140cc Rover OHV 480	159cc Rover OHV	159cc Rover OHV	196cc Rover OHV	196cc Rover OHV	196cc Rover OHV
Deck	46cm (18") steel deck	46cm (18") steel deck	46cm (18") steel deck	46cm (18") steel deck	53cm (21") steel deck	53cm (21") steel deck	53cm (21") steel deck
Deck wash	No	No	Yes	Yes	No	No	No
Discharge	Rear	Mulch/rear	Mulch/rear	Mulch/rear	Mulch/rear/side	Mulch/rear/side	Mulch/side
Blade type	2 swing back	4 swing back	4 swing back	4 swing back	4 swing back	4 swing back	Single bar-blade
Mulch plug	No	Yes	Yes	Yes	Yes	Yes	Yes
Self-propelled	No	No	No	Yes	No	Yes	No
Starting	Pull start	Pull start	Pull start	Pull start	Pull start	Pull start	Pull start
Variable throttle	Yes	Yes	Yes	Yes	Yes	Yes	No
Front tyres	18cm (7")	18cm (7")	18cm (7")	18cm (7")	18cm (7")	18cm (7")	18cm (7")
Front bearings/bushes	Ball bearing	Ball bearing	Ball bearing	Ball bearing	Bearing bushes	Bearing bushes	Bearing bushes
Rear tyres	20cm (8")	20cm (8")	20cm (8")	20cm (8")	20cm (8")	20cm (8")	28cm (11")
Rear bearings/bushes	Ball bearing	Ball bearing	Ball bearing	Ball bearing	Bearing bushes	Bearing bushes	Bearing bushes
Catcher	45L engineered polymer w/fill indicator	45L engineered polymer w/fill indicator	45L engineered polymer w/fill indicator	45L engineered polymer w/fill indicator	65L lightweight mesh	65L lightweight mesh	N/A
Warranty - Unit	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial
Warranty - Engine	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial	5 year domestic, 90 day commercial

DURACUT ACCESSORIES

Rover Duracut 400 Series Air Filter

Suitable for the Durcaut 400 Series Lawn Mowers

Part no 100004764



Rover Duracut 800 Series Air Filter

Suitable for the Durcaut 800 Series Lawn Mowers

Part no 100030024

Rover Blade Kit Suitable for the Duracut 18"

Suitable for the Duracut 18'
Lawn Mowers
Part no



Rover Blade Kit

Suitable for the Duracut 21" Series Lawn Mowers Part no 333-100-0005

Rover & Kohler engines.

Part no
333-000-0001

1 Litre Premium 4-Stroke

Oil - SAE 10W-30:

Suitable for all 4-stroke



4 Litre Premium 4-Stroke Oil – SAE 10W-30:

Suitable for all 4-stroke Rover & Kohler engines. Part No 333-000-0004



Rover Fuel Can

5 litre capacity
Part No
333-000-0002



HANDHELD





The Rover handheld equipment range helps keep lawns and gardens tidy with a range of attachment capable line trimmers and a handy blower vac



LINE TRIMMERS





Rover line trimmers are power start ready giving you consistent, easy starts. They are also attachment capable making our 2 and 4-stroke line trimmers one of the most versatile pieces of equipment for your garden.





LINE TRIMMER

25CC, 2-STROKE ENGINE

Two-piece curved shaft gives

greater balance and a clearer

43cm (17") cutting swath trims

view of the area being trimmed

Semi-Synthetic, premium engine engines with a low smoke, low ash formulation.

R2600



ROVER 1 LITRE 2-STROKE PREMIUM **ENGINE OIL**

Semi-Synthetic, premium engine engines with a low smoke, low ash



ROVER SHOULDER **STRAP**

Line trimmer shoulder strap gives you added comfort especially when trimming for long periods. Fits all Rover line



VACUUM KIT

Turns your blower into a vacuum and features a 35 litre bag to collect leaves and other debris. Kit comes standard with the R2BV Blower Vac.

PRUNING SAW • 20cm (8") bar length • 56cm (22") doublewith a narrow radius and safety chain blades · Extension boom reaches up to adjusts from 0-125° 3.3m (11ft)

BLOWER

High performance

axial fans pump up to

500 cfm of air volume

Ideal for larger areas

Concentrator nozzle

for maximum air flow

and force, and cleans

up hard to reach, wet

or sticky areas

HEDGE TRIMMER

- sided, dual-action
- Articulating blade

BROOM

• 30cm (12") swath for a wide cleaning width

LAWN EDGER

• Hardened 19cm

(7") steel blade.

Adjustable blade

depth to 6cm (2")

 Stiff nylon bristles clear grass clippings and debris

BRUSH CUTTER

- 20cm (8") steel reversible blade
- · Pro-style straight

CULTIVATOR

Adjustable

tilling width

from 13cm -

23cm (5"-9")

Heat treated

20cm (8") steel



more grass in less time Weighs 5.2kg



LINE TRIMMER

RS2650

25CC, 2-STROKE ENGINE

- Two-piece straight shaft gives greater reach under difficult to trim areas
- 43cm (17") cutting swath trims more grass in less time
- Weighs 5.5kg

RS3100 LINE TRIMMER

30CC, 4-STROKE ENGINE

- · 30cc, 4-stroke engine no need to mix oil and petrol
- · Trims hardy areas with ease
- Two-piece straight shaft gives greater reach under difficult to trim areas
- 43cm (17") cutting swath trims more grass in less time
- · Weighs 7kg







27CC, 2-STROKE ENGINE


- · Airflow velocity of up to 241kph
- · Ideal for blowing leaves and yard debris



- · Features a vacuum kit with 35 litre bag giving you the option to collect leaves and other debris







SEASONAL EQUIPMENT





The Rover Super Bronco CRT Tiller is the perfect choice for breaking up loosened soil and new ground. Featuring power reverse, this tiller gives you easy manoeuvrability for those tougher jobs.











ROVER ENGINES

Rover engines feature a 5 year domestic use warranty for added peace of mind.

FRONT BUMPER Helps protect the front

of the machine from

POWER REVERSE PR

Easily manoeuvre the Tilling depths of up to 15cm tiller around difficult (6") helps to loosen soil, kills weeds and allows fertiliser areas.

TILLING DEPTH **TILLING WIDTH**

Tilling widths of up to 41cm (16") allows you to till your yard quickly and efficiently.






8 TON **LOG SPLITTER**



- 141cc Rover engine with 8 tons of ram
- Ideal for smaller logs with a log capacity of up to 48cm (19") length
- 24 second ram cycle quickly and efficiently
- Horizontal use ideal for logs being carried to the machine and allows wood to be split into a catchment such as a wheelbarrow
- · Hydraulic oil included





- The power to cut through larger logs with a log capacity up to 64cm (25") in length
- 19 second ram cycle quickly and efficiently splits logs
- Horizontal or vertical operation ideal for different storage needs and small or large
- · Hydraulic oil included





SUPER BRONCO CRT TILLER



- 208cc Rover engine
- Tilling depth of up to 15cm (6")
- · Ideal for medium areas
- · Power Reverse makes it easy to manoeuvre the machine in difficult areas
- Counter rotating tines are perfect for breaking new ground
- Rear tines make it easier to till hard ground with less effort





a gardener's best friend.

30

SEASONAL EQUIPMENT





Rover's powerful and versatile chipper shredders and chipper shredder vacuums make light work of mulch for your garden.









CHOICE OF ENGINES

Choose from Rover engines featuring a 5 year domestic use warranty or Briggs & Stratton engines.

3-WAY FEED SYSTEM

Chipper chute for longer twigs and branches; a drop down, rake in chute for debris on the ground; or a drop in hopper for leaves and garden clippings.

EASY TO USE VAC HOSE

The chipper shredder vac hose gives you longer reach and easily vacuums garden debris in difficutl to reach areas.

EFFICIENT REDUCTION R

The chipper shredder & chipper shredder vacuum range features large collection bags that fit more debris in to minimize the need to empty the bag frequently saving you time and effort.



5CM (2") CHIPPER SHREDDER

- 5cm (2") chipping/shredding capacity ideal for twigs, sticks and branches
- Large 88 litre collection bag minimises the need to empty the bag frequently
- 10:1 debris reduction ratio efficiently reduces the volume of debris into mulch



4CM (1.5") CHIPPER SHREDDER VAC

- 4cm (1.5") chipping/shredding capacity for smaller twigs, sticks and branches
- Features a hose to easily vacuum garden debris in difficult to reach areas
- Large 70 litre collection bag minimizes the need to empty the bag frequently
- 8:1 debris reduction ratio efficiently reduces the volume of debris into mulch



R VH ER



PARTS THAT PASS THE TEST

ROVER QUICK REFERENCE GUIDE



Rover Ride Ons & Zero Turns - Consumable Parts										
Model No	Description	Deck Belt	Single Drive Belt	Drive Belt Upper	Drive Belt Lower	Blades	Pre Filter	Air Filter	Fuel Filter	Oil Filter
13A426JC333	Micro Rider	954-05001	N/A	954-05040	954-04331	942-0760	B&S	B&S	B&S	B&S
13A726JD333	Mini Rider 382/30 - 6 speed	954-05001	N/A	954-05040	954-04331	942-04385	N/A	100051657	BS-298090S	100004088-0001
13A721JD333	Mini Rider 382/30 - Hydro	954-05001	954-05130	N/A	N/A	942-04385	N/A	100051657	BS-298090S	100004088-0001
13AB76WF333	Raider 439/38	954-04062	N/A	954-05130	954-04249A	942-0610A	N/A	937-05129	951-3013	951-12690
13A878WF333	Rancher 547/38	954-04062	954-04252	N/A	N/A	942-0610A	N/A	937-05066	BS-298090S	951-12690
13A879WS333	Rancher 547/42	954-04060C	954-04252	N/A	N/A	942-04308	N/A	937-05066	BS-298090S	951-12690
13AGA1KS333	Lawn King 18/42	954-05099	954-05027B	N/A	N/A	942-04308	N/A	KM-11013-0727	KM-49019-0027	KM-49065-7007
13AFA4KS333	Lawn King 21/42	954-05099	954-05027B	N/A	N/A	942-04308A	N/A	KM-11013-0752	KM-49019-0031	KM-49065-7007
17AAFACS333	RZ 42	754P06134	754P05874	N/A	N/A	942-04312A	N/A	937-05145	951-3013	951-12690
17AIFACN333	RZ 46	754P06135	754P05874	N/A	N/A	942-04244A	N/A	KM-11013-0752	KM-49019-0027	KM-49065-7007
17BRCBDT333	RZT S 46	954-04325	954-04317A	N/A	N/A	942-04244A	KH-32-083-10-S	KH-32-883-09-S	KH-25-050-22-S1	KH-12-050-01-S

Rover Lawn M	Rover Lawn Mowers - Consumable Parts									
Model No	Description	Deck Belt	Single Drive Belt	Drive Belt Upper	Drive Belt Lower	Blades	Pre Filter	Air Filter	Fuel Filter	Oil Filter
11A-H2TY333	Duracut 410	N/A	N/A	N/A	N/A	333-100-0001	N/A	100004764	N/A	N/A
11A-H1TY333	Duracut 420	N/A	N/A	N/A	N/A	333-100-0001	N/A	100004764	N/A	N/A
11B-H1R9333	Duracut 820	N/A	N/A	N/A	N/A	333-100-0001	N/A	100030024	100009020	N/A
12ABH1R9333	Duracut 855MS	N/A	754-05006	N/A	N/A	333-100-0001	N/A	100030024	100009020	N/A
11A-A1R6333	Duracut 900	N/A	N/A	N/A	N/A	333-100-0005	N/A	951-15245	951-12296	N/A
12A-B1R6333	Duracut 955SP	N/A	954-04259A	N/A	N/A	333-100-0005	N/A	951-15245	951-12296	N/A
11A-B0R6333	Rover Hi Wheeler	N/A	N/A	N/A	N/A	942-0741A	N/A	951-15245	951-12296	N/A



TOTAL PIECE OF MIND ROVER'S INDUSTRY-LEADING 5+5 YEAR WARRANTY

At Rover, we believe in the performance and durability in our range of products. With features like the industry leading 1.8mm deck thickness on our steel deck lawn mowers, our products are built to last.

We are so confident in the strength of our products that we offer a 5 year engine plus 5 year unit, domestic use warranty* so you can enjoy your Rover for years to come.

Our belief continues through to our Rover engines that give you both a powerful performance and added peace of mind with a 5 year, domestic use warranty.

For more information on our 5 year plus 5 year warranty, contact your local Rover Dealer.

*5 year domestic use unit warranty excludes the Rover handheld range. 5 year domestic use engine warranty includes both Rover and Kawasaki engines.

Non-Rover engine warranties (Kawasaki engines excepted) are 2 year domestic use and are set by the manufacturer. For information on our commercial warranties and for full warranty terms and conditions, contact your local Rover Dealer.





Not all products available at all dealers. A failure by a supplier to deliver in accordance with sample description or not at all or other unintentional causes may result in some products being unavailable. Product availability, images and specifications may change without prior notice. Images may not reflect dealer inventory or unit specifications. Recommended lawn sizes are supplied for general guidance only and are based on standard areas - please see your local Rover Dealer for more information. Engine descriptions, warranty and horsepower (HP) are by the engine manufacturer. NOV22

FOR MORE INFORMATION PLEASE CALL 1300 951 594

2022 Rover | PART# ROVERCAT2022

